

+WELAB
PROFESSIONAL EQUIPMENT






HASSELBLAD HS
(WHITEPOINT OPTICS)

LENTES PRIME DE FULLFRAME / MONTURA PL

V-1.3.21

welabplus.com - welab.es

-  - SUAVES, NITIDAS Y EQUILIBRADAS
-  - DEFINICIÓN DE CENTRO A BORDES
-  - BOKEH REDONDO INIMITABLE

HASSELBLAD HS (WHITEPOINT OPTICS)

	21 mm	28 mm	42 mm	56 mm	70 mm	84 mm
Apertura	T2.5	T2.8	T2.5	T2	T2.5	T2.8
Distancia Mínima Enfoque (metros)	0,35	0,35	0,45	0,65	0,80	1
Diámetro Frontal (mm)	114	114	114	114	114	114
Peso (kg)	2,85	2,73	1,85	1,65	1,65	1,95
Dimensiones (mm)	200	156	125	120	126	155
Cobertura (mm)	46	46	46	46	46	46

Si quieres más info sobre este equipo pincha el enlace:

Copyright ©
WeLab Professional Equipments, 2021



Welab Professional Equipment

Albasanz, 59. 28037 Madrid

(+34) 91 182 33 55

info@welab.es

welab.es - welabplus.com