



CANON V35

LENTES PRIME DE FULLFRAME
MONTURA PL
V-1.12.21

-  - LIGERAS, COMPACTAS Y NÍTIDAS
-  - DESTELLOS INTERESANTES. HALOS
-  - MENOR CONTRASTE Y SATURACIÓN

CANON V35

| | 14 mm | 20 mm | 24 mm | 35 mm | 50 mm | 85 mm | 135 mm |
|------------------------------------------|----------|----------|----------|----------|----------|----------|-----------|
| <i>Apertura</i> | T3.1 | T1.5 | T1.5 | T1.5 | T1.3 | T1.3 | T2.2 |
| <i>Distancia Mínima Enfoque (metros)</i> | 0,2 | 0,3 | 0,3 | 0,3 | 0,3 | 0,95 | 1 |
| <i>Diámetro Frontal (mm)</i> | 114 | 114 | 114 | 114 | 114 | 114 | 114 |
| <i>Peso (kg)</i> | 1,2 | 1,2 | 1,2 | 1,1 | 1,1 | 1,3 | 1,4 |
| <i>Dimensiones (mm)</i> | 94 | 102 | 101,5 | 101,5 | 101,5 | 101,5 | 115,6 |
| <i>Cobertura (mm)</i> | 43,3 | 43,3 | 43,3 | 43,3 | 43,3 | 43,3 | 43,3 |

WE

Si quieres más info sobre este equipo pincha el enlace:

Copyright ©

WeLab Professional Equipments, 2021

+W

Welab Professional Equipment

Albasanz, 59. 28037 Madrid

(+34) 91 182 33 55

info@welab.es

welab.es - welabplus.com