



ARRI SIGNATURE PRIME

LENTES PRIME DE FULLFRAME / MONTURA LPL

V-1.4.21

-  - ASPECTO ATEMPORAL
-  - TONOS DE PIEL CÁLIDOS Y SUAVES
-  - MINIMA ABERRACIÓN
- PORTAFILTROS TRASERO MAGNÉTICO

ARRI SIGNATURE PRIME

	18 mm	21 mm	25 mm	29 mm	35 mm	40 mm	47 mm
Apertura	T1.8	T1.8	T1.8	T1.8	T1.8	T1.8	T1.8
Distancia Mínima Enfoque (metros)	0,35	0,35	0,35	0,35	0,35	0,35	0,45
Diámetro Frontal (mm)	114	114	114	114	114	114	114
Peso (kg)	2,00	1,90	1,90	1,80	1,70	1,80	1,80
Dimensiones (mm)	178	178	178	178	178	178	178
Cobertura (mm)	45	45	45	45	45	45	45

	58 mm	75 mm	95 mm	125 mm	200 mm	280 mm
Apertura	T1.8	T1.8	T1.8	T1.8	T1.8	T1.8
Distancia Mínima Enfoque (metros)	0,45	0,65	0,85	1	1,8	2,5
Diámetro Frontal (mm)	114	114	114	114	114	114
Peso (kg)	2,00	1,90	1,90	2,30	3,10	4,30
Dimensiones (mm)	178	178	178	178	208	218
Cobertura (mm)	45	45	45	45	45	45

Si quieres más info sobre este equipo pincha el enlace:

<http://www.welab.es/es/alquiler/185/1019/lentes/lentes-full-frame/arri-signature-prime-lentes>

Copyright ©

WeLab Professional Equipments, 2021



Welab Professional Equipment

Albasanz, 59. 28037 Madrid

(+34) 91 182 33 55

info@welab.es

welab.es - welabplus.com