



LAOWA NANOMORPH 1.5X

LENTE PRIME ANAMÓRFICA DE SUPER 35. MONTURA PL
- ANAMORPHIC SUPER 35 PRIME LENSES. PL MOUNT -



DESTACADO

(HIGHLIGHTS)



**Son las lentes anamórficas
más pequeñas del mundo.
Para sensores Super35.
Peso y tamaño mínimos.
Ideales para drones, cascos,
gimbals... Poseen opciones de
flare ambar, azul o plata**

*They are the smallest anamorphic
lenses in the world. For Super35
sensors. Minimum weight and size.
Ideal for drones, helmets, gimbals...
They have amber, blue or silver flare
options*



H China (HEFEL) 2022.


Es la **primera incursión** de Laowa en las **lentes anamórficas** para cinematografía. Con su nueva patente en la estructura de estas lentes, consigue **reducir el tamaño y el peso** de las mismas, la relación de compresión es **más uniforme** y la calidad óptica prometedora

It is Laowa's first foray into anamorphic lenses for cinematography. With his new patent on the structure of these lenses, he manages to reduce their size and weight, the compression ratio is more uniform and the optical quality is promising



- **LOOK** ALTO CONTRASTE Y DEFINICIÓN / ARTÍSTICO
- **FLARE** ELEGANTE
- **BOKEH** OVALADO

- **LOOK** HIGH CONTRAST AND DEFINITION / ARTISTIC
- **FLARE** ELEGANT
- **BOKEH** OVAL



Montura PL
(PL mount)



Aberraciones mínimas
(minimums aberrations)



Flare plata
(silver flare)

Características propias
(own features)

ÓPTICAS (LENS)

	27 mm	35 mm	50 mm	65 mm	80 mm
Apertura (aperture)	T2.8	T2.4	T2.4	T2.4	T2.4
Hojas iris (iris blade)	13	13	13	13	13
Distancia mínima foco (minimum focus distance)	0.43 m / 17"	0.60 m / 2'	0.70 m / 2.4"	0.70 m / 2.4"	0.70 m / 2.4"
Factor compresión (squeeze factor)	1.5x	1.5x	1.5x	1.5x	1.5x
Cobertura sensor (sensor coverage)	31 mm / 1.22"	31 mm / 1.22"	31 mm / 1.22"	31 mm / 1.22"	31 mm / 1.22"
Formato (format)	SUPER 35 MM	SUPER 35 MM	SUPER 35 MM	SUPER 35 MM	SUPER 35 MM



Características propias (own features)

MECÁNICAS (MECHANICS)

	27 mm	35 mm	50 mm	65 mm	80 mm
Diámetro frontal (front diameter)	80 mm	80 mm	80 mm	80 mm	80 mm
Peso (weight)	0.32 kg / 0.7 lbs	0.36 kg / 0.8 lbs	0.39 kg / 0.86 lbs	0.82kg / 1.81 lbs	0.82kg / 1.81 lbs
Longitud (length)	67 mm / 2.63"	75 mm / 2.95"	75 mm / 2.95"	95 mm / 3.74"	110 mm / 4.33"
Montura (mount)	PL	PL	PL	PL	PL
Escala foco (focus scale)	Escala dual (metros y pies) a cada lado. (Dual scale (meters and feet) on each side)	Escala dual (metros y pies) a cada lado. (Dual scale (meters and feet) on each side)	Escala dual (metros y pies) a cada lado. (Dual scale (meters and feet) on each side)	Escala dual (metros y pies) a cada lado. (Dual scale (meters and feet) on each side)	Escala dual (metros y pies) a cada lado. (Dual scale (meters and feet) on each side)
Escala diafragma (iris scales)	Escalas a cada lado de la lente. (Scales on each side of the lens)	Escalas a cada lado de la lente. (Scales on each side of the lens)	Escalas a cada lado de la lente. (Scales on each side of the lens)	Escalas a cada lado de la lente. (Scales on each side of the lens)	Escalas a cada lado de la lente. (Scales on each side of the lens)

VER VÍDEO

YA EN CATÁLOGO

+ GUÍAS

Copyright ©

WeLab Professional Equipments, 2024



Welab Professional Equipment

Albasanz, 59. 28037 Madrid

(+34) 91 182 33 55

info@welab.es

welabplus.com